HASSAN DIVISION.

Notification, dated 6th December 1933.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Hassan Division up to 3 P.M. on 3rd January 1934, for Constructing two additional rooms to the Government Middle School at Arsikere An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1934.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Hassan between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees 200 in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for Constructing two additional rooms to the Government Middle School at Arsikere," in default of which, tender will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Detailed Estimate for adding two rooms to the Government Middle School at Arsikere.

No.	Items of work	Quantity	Per	Rate	Cost
				Rs. a. p.	Rs. a. p.
1	Earth work excavating foundation ..	29	C.yd.	0 3 0	7 0 0
2	Lime concrete stone jelly in lime mortar ...	533	C.ft.	0 4 9	158 0 0
3	Size stone in lime mortar for foundation and basement.	590	,,	0 6 0	221 0 0
4	Brick work with burnt brick in mortar ..	1,702	,,	0 5 6	585 0 0
5	Semi-circular arch work burnt brick in mortar.	16	,,	0 7 0	7 0 0
6	1½" Teak wood doors panelled with two shutters and with necessary iron fittings complete.	140	S.ft.	2 4 0	315 0 0
7	Windows half glazed and half panelled in two halves with fitting, etc., without iron bars.	86	,,	2 4 0	216 0 0
8	Burnt stone slabs 6" thick over doors dressed and fixed.	223	,,	0 10 0	139 0 0
9	Reinforced concrete ventilation type ...	48	,,	1 4 0	60 0 0
10	Circular teak wood ventilators with glazed on gagged shutters.	4	,,	2 0 0	8 0 0
11	Teak wood wrought and put up with wood oiling or tarring complete.	64½	C.ft.	6 0 0	389 0 0

No.	Items of work	Quantity	Per	Rate	Cost
				Rs. a. p.	Rs. a. p.
12	First class Mangalore tiles roofing over teak reepers.	10·35	Sqr.	28 0 0	290 0 0
13	Mangalore Ridge tiles set in mortar ...	45	R.ft.	0 10 0	27 0 0
14	Mortar bands over roof ..	46	„	0 2 0	6 0 0
15	Teak wood eave boards 1" thick, 10" wide ...	137	„	0 9 0	77 0 0
16	Chunnam plastering inside and sides ..	34·88	Sqr.	4 8 0	157 0 0
17	Cement pointing to basement outside ..	3·81	„	4 0 0	15 0 0
18	Flooring with burnt stone slabs in 3" thick and dressed and fixed over 3" sand bed with cement pointing, etc., complete.	5·95	„	40 0 0	238 0 0
19	White-washing two coats as per chunnam plastering.	34·85	„	0 5 0	11 0 0
20	Chacolate painting two coats to doors, etc. ..	5·55	„	4 4 0	24 0 0
21	Providing finials and pendents big ..	6	Each	0 12 0	5 0 0
22	Binding old and new work ...	Lump sum		...	20 0 0
23	Coping with burnt brick in mortar with plastering complete. ...	20½	R.ft.	0 6 0	8 0 0
24	Unforeseen and miscellaneous charges	Lump sum		...	67 0 0
	Total ...	...	...	...	3,050 0 0
	Add contingencies at 5 per cent ..	...	...	...	150 0 0
	Grand Total ...	...	...	...	3,200 0 0

N. LAKSHMINARASIMHAIYA,
Executive Engineer.

SHIMOGA DIVISION.

Notificatiton dated 14th December 1933.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Shimoga Division, up to 5th January 1934, for reconstructing a girder bridge at Gabadi with new abutments and wings at 1/25 of Shimoga-Mangalore Road. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1934.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineers' Office at Shimoga, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tender should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 250 (two hundred and fifty only) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for reconstructing a girder bridge at Gabadi with new abutment and wings at 1/25 of Shimoga-Mangalore Road," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. The materials as detailed below should be made use of and the value will be deducted from the rates tendered for these items.

1,407 C.ft. of size stones :—cost Rs. 281.

Estimate for reconstructing the Girder Bridge at Gabadi with new Abutments and wings at 1/25th mile of Shimoga-Mangalore Road.

No.	Description of work	Per	Quantity
1	Earth work excavation for foundation, forming, etc., complete.	C.yd.	151
2	Laying surki concrete for foundation, tamping, etc., complete.	C.ft.	1,186
3	Good size stone in surki mortar in foundation ...	„	2,355
4	Do superstructure in surki mortar ...	„	4,412
5	Burnt stone slabs 6″ thickness including dressing, etc., complete.	S.ft.	186
6	Cement pointing after raking joints, etc., complete ...	Sqr.	16·27
7	Providing M. R. Rails 4 of 24 feet length with cross and diagonal angle iron protection for sides on parapet railings.	R.ft.	44
8	Dismantling the old masonry and the road way including the beams and planks 2″ thick, etc., and stacking out side neatly. Details to be given during excavation.	Sqr.	..
9	Removing and relaying the Girders, complete ...	„	...
10	Deviation of the road. Details to be given during execution.	„	...
11	Providing new Honney or Nandi wood cross beams (8″ x 4″ 1 foot c to c and plank 4″ thickness) including fixing, railing, etc., complete. (Wrought and put up complete.)	C.ft.	168
12	Providing rough stone work, complete	C.yd.	42
13	Tarring wood work	Sqr.	13·7
14	Bailing out water as per details to be furnished during execution.	„	...
15	Rough metal for road way	C.yd.	6
16	Rough granite broken metal 1″ dia.	„	6
17	Do consolidation and spreading included ..	Sqr.	...
18	Unforeseen charges including barricading and filling behind abutments, etc.	„	...

B. KRISHNA RAO,
Executive Engineer.

DAM CONSTRUCTION AND No. I CANAL DIVISION, KRISHNARAJASAGARA.

Notice dated 8th November 1933.

It is hereby notified for the information of the public that the water-supply in the Irwin Canal will be stopped on account of annual repair works during the following periods :—

16th December 1933 to 30th December 1933 (both days inclusive).
7th January 1934 to 22nd January 1934 (both days inclusive).

N. SARABHOJA,
Executive Engineer.

No. 5 CANAL AND PROJECT DIVISION.

Notification, dated 7th December 1933.

The public are hereby informed that the service road along the spoil bank of the Maddur Branch of Irwin Canal in the first 21 miles of the canal is reserved for the use of rubber-tyred vehicles of the Inspecting Officers only. All other traffic must use the lower service road along the canal. Any person violating the above order shall be deemed to commit an offence under Article 46 of Mysore Irrigation Regulation No. 1 of 1932.

N. SUBBA RAO,